Practice | Five things to know about ...

Corneal foreign bodies

Athithan Ambikkumar BSc, Bryan Arthurs MD, Christian El-Hadad MDCM

■ Cite as: CMAJ 2022 March 21;194:E419. doi: 10.1503/cmaj.211624

Clinical evaluation of corneal foreign bodies includes lid eversion and fluorescein staining

Ocular trauma accounts for 8% of emergency department visits; of these, 31% involve corneal foreign bodies.¹ A focused history includes presenting symptoms, type of foreign body, penetrability, entry velocity, duration since injury, concurrent contact lens usage and ocular history.¹ Evaluation includes assessment of visual acuity, pupillary response and extraocular movements, and fluorescein staining. Vertical scratch marks that stain with fluorescein suggest a foreign body under the upper lid. In this case, the upper lid should be fully everted during examination.² A Wood lamp has low sensitivity (52%) for fluorescein uptake compared with a slit lamp. Patients who continue to be symptomatic 24 hours after a negative Wood lamp examination should be re-examined in the emergency department or clinic.³

- 2 Clinicians should screen for penetrating injuries of the globe
 It is important to rule out open-globe injuries, as these complicate some presentations of corneal foreign bodies. A penetrated globe can be identified if a green streak flows out from a fluorescein-soaked foreign body; however, the streak may be absent when penetrating injuries are self-sealing. If an intraocular foreign body is suspected, orbital computed tomography should be performed. Penetrating injuries require urgent referral to an ophthalmologist without displacing the foreign body.
- 3 Experienced practitioners can remove some foreign bodies in the office or emergency department

If superficial, the foreign body can be irrigated with saline or, using topical anesthetic, carefully removed with a cotton-tipped applicator under direct visualization. If embedded, a trained physician can remove the foreign body using a slit lamp with a 25-gauge needle or spud.

Follow-up care includes oral analgesics and infection prevention

Clinicians should administer a tetanus booster, when indicated, and prescribe oral analgesics.² Topical broad-spectrum antibiotics, with coverage against *Pseudomonas* species for patients who wear contact lenses, may prevent superinfection.¹ Topical nonsteroidal anti-inflammatory drugs, steroids, cycloplegics and eye patching do not improve pain or healing.^{1,2,5}

5 Some patients require referral to an ophthalmologist
Patients should be re-evaluated in 24 hours and referred to an ophthalmologist if symptoms persist or worsen. An ophthalmologist should also be consulted for difficult removals, deeply embedded foreign bodies, corneal ulcerations, hyphema, hypopyon or substantial changes in visual acuity.^{1,2}

References

- Ahmed F, House RJ, Feldman BH. Corneal abrasions and corneal foreign bodies. *Prim Care* 2015;42:363-75.
- Wipperman JL, Dorsch JN. Evaluation and management of corneal abrasions. Am Fam Physician 2013;87:114-20.
- Hooker EA, Faulkner WJ, Kelly LD, et al. Prospective study of the sensitivity of the Wood's lamp for common eye abnormalities. Emerg Med J 2019;36:159-62.
- Loporchio D, Mukkamala L, Gorukanti K, et al. Intraocular foreign bodies: a review. Surv Ophthalmol 2016;61:582-96.
- Wakai A, Lawrenson JG, Lawrenson AL, et al. Topical nonsteroidal anti-inflammatory drugs for analgesia in traumatic corneal abrasions. Cochrane Database Syst Rev 2017;(5): CD009781

Competing interests: None declared.

This article has been peer reviewed.

Affiliation: Department of Ophthalmology and Visual Sciences, McGill University Faculty of Medicine, Montréal, Que.

Content licence: This is an Open Access article distributed in accordance with the terms of the Creative Commons Attribution (CC BY-NC-ND 4.0) licence, which permits use, distribution and reproduction in any medium, provided that the original publication is properly cited, the use is noncommercial (i.e., research or educational use), and no modifications or adaptations are made. See: https://creativecommons.org/licenses/by-nc-nd/4.0/

Correspondence to: Christian El-Hadad, christian.haddad@mcgill.ca

CMAJ invites submissions to "Five things to know about ..." Submit manuscripts online at http://mc. manuscriptcentral.com/cmaj